





【03】 Inch-Dimensioned Tapered Roller Bearings



ITEM NO.	Dimensions (mm)					R	R1	Dynamic	Static	Weight
	d	D	T	B	C	(min)	(uiu)	Cr (KN)	Cor (KN)	(Kg)
02474/02420	28.575	68.262	22.225	22.225	17.462	0.8	1.5	57.0	67.0	0.409
02475/02420	31.750	68.262	22.225	22.225	17.462	3.5	1.5	57.0	67.0	0.380
LM11749/LM11710	17.462	39.878	13.843	14.605	10.688	1.3	1.3	23.8	24.2	0.084
LM11949/LM11910	19.050	45.237	15.494	16.637	12.065	1.3	1.3	28.3	28.6	0.122
M12649/M12610	21.430	50.005	17.526	18.288	13.970	1.3	1.3	38.0	39.0	0.169
LM12749/LM12710	21.986	45.237	15.494	16.637	12.065	1.3	1.3	29.6	34.0	0.115
LM12749/LM12711	21.986	45.974	15.494	16.637	12.065	1.3	1.3	29.6	34.0	0.123
14125A/14274	31.750	69.012	19.845	19.583	15.875	3.5	3.3	44.5	55.0	0.348
14125A/14276	31.750	69.012	19.845	19.583	15.875	3.5	1.3	48.0	58.0	0.356
14125A/14282	31.750	71.996	19.002	19.583	15.032	3.5	1.5	48.0	58.0	0.447
14125A/14283	31.750	72.085	22.385	19.583	18.415	3.5	2.3	48.5	58.0	0.412
15100/15245	25.400	62.000	19.050	20.638	14.288	3.5	1.3	46.5	54.0	0.299
15123/15243	31.750	61.912	18.161	19.050	14.288	*	2.0	46.5	54.0	0.244
15123/15244	31.750	62.000	19.749	19.050	15.875	*	1.3	46.5	54.0	0.274
15123/15245	31.750	62.000	18.161	19.050	14.288	5.6	1.3	46.5	54.0	0.244
15123/15250	31.750	63.500	20.638	19.050	15.875	*	1.3	45.0	54.5	0.274
15123/15250X	31.750	63.500	20.638	19.050	15.875	*	1.5	45.0	54.5	0.273
15578/15520	25.400	57.150	17.463	17.462	13.495	1.3	1.5	39.5	45.5	0.216
15580/15520	26.988	57.150	17.463	17.462	13.495	3.5	1.5	39.5	45.5	0.206
15590/15520	28.575	57.150	17.462	17.462	13.495	3.5	1.5	39.5	45.5	0.196
18590/18520	41.275	73.025	16.667	17.462	12.700	3.5	1.5	46.0	55.5	0.281
LM102949/LM102910	45.242	73.431	19.558	19.812	15.748	3.5	0.8	54.0	76.0	0.307
JLM104948/JLM104910	50.000	82.000	21.500	21.500	17.000	3.0	0.5	69.5	94.0	0.420
LM104949/LM104911	50.800	82.550	21.116	22.225	16.510	3.5	1.3	69.5	94.0	0.419
18780/18720	46.038	85.000	17.462	17.462	13.495	2.3	1.5	49.5	65.0	0.420
18790/18720	50.800	85.000	17.462	17.462	13.495	3.5	1.5	49.5	65.0	0.374
HM212044/HM212011	60.325	122.238	38.100	38.354	29.718	8.0	3.3	187.0	244.0	2.020
HM212046/HM212010	63.500	122.238	38.100	38.354	29.718	3.5	1.5	187.0	244.0	1.960
HM212046/HM212011	63.500	122.238	38.100	38.354	29.718	3.5	3.3	187.0	244.0	1.950
HM212047/HM212010	63.500	122.238	38.100	38.354	29.718	7.0	1.5	187.0	244.0	1.950
HM212047/HM212011	63.500	122.238	38.100	38.354	29.718	7.0	3.3	187.0	244.0	1.940
HM212049/HM212010	66.675	122.238	38.100	38.354	29.718	3.5	1.5	187.0	244.0	1.860
HM212049/HM212011	66.675	122.238	38.100	38.354	29.718	3.5	3.3	187.0	244.0	1.850
HM218248/HM2118210	89.974	146.975	40.000	40.000	32.500	7.0	3.5	227.0	340.0	2.550
25580/25520	44.450	82.931	23.812	25.400	19.050	3.5	0.8	76.0	98.0	0.560
25580/25521	44.450	83.058	23.812	25.400	19.050	3.5	3.3	76.0	98.0	0.553
25580/25522	44.450	83.058	23.876	25.400	19.114	3.5	2.0	76.0	98.0	0.556
25580/25523	44.450	82.931	26.988	25.400	22.225	3.5	2.3	78.5	98.0	0.695
25584/25520	44.983	82.931	23.812	25.400	19.050	1.5	0.8	76.0	98.0	0.555
25590/25520	45.618	82.931	23.812	25.400	19.050	3.5	2.0	76.0	98.0	0.543
25590/25521	45.618	83.058	23.812	25.400	19.050	3.5	3.3	76.0	98.0	0.541
27687/27620	82.550	125.412	25.400	25.400	19.845	3.5	1.5	102.0	163.0	1.070
28580/28520	50.800	89.980	24.750	25.400	19.987	3.5	2.3	83.5	116.0	0.651
28580/28521	50.800	92.075	24.608	25.400	19.845	3.5	0.8	83.5	116.0	0.703
28584/28520	52.388	89.980	24.750	25.400	19.987	3.5	2.3	83.5	116.0	0.625
28584/28521	52.388	92.075	24.608	25.400	19.845	3.5	0.8	83.5	116.0	0.677
28980/28920	59.977	101.600	25.400	25.400	19.845	3.5	3.3	90.5	134.0	0.818
28980/28921	59.977	100.000	25.400	25.400	19.845	3.5	3.3	90.5	134.0	0.779

28985/28920	60.325	101.600	25.400	25.400	19.845	3.5	3.3	90.5	134.0	0.811
28985/28921	60.325	100.000	25.400	25.400	19.845	3.5	3.3	90.5	134.0	0.772
29585/29520	63.500	107.950	25.400	25.400	19.050	3.5	3.3	91.5	140.0	0.924
29590/222	66.675	107.950	25.400	25.400	19.050	3.5	0.8	91.5	140.0	0.869
LM300849/LM300811	40.988	67.975	17.500	18.000	13.500		1.5	46.0	62.5	0.239
366/362	50.000	90.000	20.000	22.225	15.875	2.3	2.0	76.5	90.5	0.543
366/362A	50.000	88.900	20.638	22.225	16.513	2.3	1.3	76.5	90.5	0.529
366/363	50.000	90.000	20.000	22.225	20.000	2.3	0.8	76.5	90.5	0.544
368/362	50.800	90.000	20.000	22.225	15.875	1.5	2.0	76.5	90.5	0.545
368/362A	50.800	88.900	20.638	22.225	16.513	1.5	1.3	76.5	90.5	0.519
368/363	50.800	90.000	20.000	22.225	20.000	1.5	0.8	76.5	90.5	0.576
368A/362	50.800	90.000	20.000	22.225	15.875	3.5	2.0	76.5	90.5	0.525
368A/362A	50.800	88.900	20.638	22.225	16.513	3.5	1.3	76.5	90.5	0.516
368A/363	50.800	90.000	20.000	22.225	20.000	3.5	0.8	76.5	90.5	0.556
368S/362	51.592	90.000	20.000	22.225	15.875	2.0	2.0	76.5	90.5	0.511
368S/362A	51.592	88.900	20.638	22.225	16.513	2.0	1.3	76.5	90.5	0.507
369A/362	47.625	90.000	20.000	22.225	15.875	3.5	2.0	76.5	90.5	0.578
369A/362A	47.625	88.900	20.638	22.225	16.513	3.5	1.3	76.5	90.5	0.559
369A/363	47.625	90.000	20.000	22.225	20.000	3.5	0.8	76.5	90.5	0.576
369S/362	47.625	90.000	20.000	22.225	15.875	2.3	2.0	76.5	90.5	0.593
369S/362A	47.625	88.900	20.638	22.225	16.513	2.3	1.3	76.5	90.5	0.561
369S/363	47.625	90.000	20.000	22.225	20.000	2.3	0.8	76.5	90.5	0.596
370A/362	50.800	90.000	20.000	22.225	15.875	5.0	2.0	76.5	90.5	0.515
370A/362A	50.800	88.900	20.638	22.225	16.513	5.0	1.3	76.5	90.5	0.511
370A/363	50.800	90.000	20.000	22.225	20.000	5.0	0.8	76.5	90.5	0.576
385/382	55.000	98.425	21.000	21.946	17.826	2.3	0.8	78.0	96.5	0.661
385/382A	55.000	96.838	21.000	21.946	15.875	2.3	0.8	78.0	96.5	0.616
385/382S	55.000	96.838	25.400	21.946	20.274	2.3	2.3	78.0	96.5	0.682
385/383A	55.000	100.000	21.000	21.946	17.826	2.3	2.0	78.0	96.5	0.693
385A/382	55.800	98.425	21.000	21.946	17.826	2.3	0.8	78.0	96.5	0.718
385A/382A	55.800	96.838	21.000	21.946	15.878	2.3	0.8	78.0	96.5	0.676
385A/382S	55.800	96.838	25.400	21.946	20.274	2.3	2.3	78.0	96.5	0.739
385A/383A	55.800	100.000	21.000	21.946	17.826	2.3	2.0	78.0	96.5	0.750
385X/382	55.000	98.425	21.000	21.946	17.826	3.5	0.8	78.0	96.5	0.659
385X/382A	55.000	96.838	21.000	21.946	15.875	3.5	0.8	78.0	96.5	0.614
385X/382S	55.000	96.838	21.000	21.946	20.274	3.5	2.3	78.0	96.5	0.645
385X/383A	55.000	100.000	21.001	21.946	17.826	3.5	2.0	78.0	96.5	0.644
386A/382	47.625	98.425	21.001	21.946	17.826	0.8	0.8	78.0	96.5	0.775
386A/382A	47.625	96.838	21.000	21.946	15.875	0.8	0.8	78.0	96.5	0.720
386A/382S	47.625	96.838	21.000	21.946	20.274	0.8	2.3	78.0	96.5	0.764
386A/383A	47.625	100.000	21.001	21.946	17.826	0.8	2.0	78.0	96.5	0.766
387/382	57.150	98.425	21.000	21.946	17.826	2.3	0.8	80.4	101.0	0.764
387/382A	57.150	96.838	21.000	21.946	15.875	2.3	0.8	78.0	96.5	0.583
387/382S	57.150	96.838	25.400	21.946	20.274	2.3	2.3	78.0	96.5	0.649
387/383A	57.150	100.000	21.000	21.946	17.826	2.3	2.0	78.0	96.5	0.660
387A/382	57.150	98.425	21.000	21.946	17.826	3.5	0.8	78.0	96.5	0.628
387A/382A	57.150	96.838	21.000	21.946	15.875	3.5	0.8	78.0	96.5	0.581
387A/382S	57.150	96.838	25.400	21.946	20.274	3.5	2.3	78.0	96.5	0.650
387A/383A	57.150	100.000	21.000	21.946	17.826	3.5	2.0	78.0	96.5	0.660
387AS/382	57.150	98.425	21.000	21.946	17.826	5.2	0.8	78.0	96.5	0.621
47681/47620	80.962	133.350	33.338	33.338	26.195	3.5	3.3	153.0	235.0	1.776
47681/47623A	80.962	136.525	44.450	33.338	44.450	3.5	0.8	153.0	235.0	1.928
47686/47620	82.550	133.350	33.338	33.338	26.195	3.5	3.3	153.0	235.0	1.720
47686/4768A	82.550	136.525	44.450	33.338	44.450	3.5	0.8	153.0	235.0	1.875
47687/47620	82.550	133.350	33.338	33.338	26.195	6.8	3.3	153.0	235.0	1.710
47687/47623A	82.550	136.525	44.450	33.338	44.450	6.8	0.8	153.0	235.0	1.854
LM48548/LM48510	34.925	65.088	18.034	18.288	13.970	5.6	1.3	46.5	56.0	0.249
495/492A	82.550	133.350	30.162	29.769	22.225	3.5	3.3	129.0	189.0	1.525
495/493	82.550	136.525	30.162	29.769	22.225	3.5	3.3	129.0	189.0	1.640
495A/492A	76.200	133.350	30.162	29.769	22.275	3.5	3.3	129.0	189.0	1.710
495A/493	76.200	136.525	30.162	29.769	22.275	3.5	3.3	129.0	189.0	1.830
495AX/492A	76.200	133.350	30.162	29.769	22.275	6.4	3.3	118.0	175.0	1.702
495AX/493	76.200	136.525	30.162	29.769	22.275	6.4	3.3	129.0	189.0	1.820
496X/492A	79.985	133.350	33.338	33.338	26.195	3.5	3.3	118.0	175.0	1.735
496X/493	79.985	136.525	30.162	29.769	22.275	3.5	3.3	129.0	189.0	1.690
497/492A	85.725	133.350	30.162	29.769	22.275	3.5	3.3	129.0	189.0	1.430
497/493	85.725	136.525	30.162	29.769	22.275	3.5	3.3	129.0	189.0	1.550
498/492A	84.138	133.350	30.162	29.769	22.275	3.5	3.2	133.0	198.0	1.480

498/493	84.138	136.525	30.162	29.769	22.275	3.5	3.3	129.0	189.0	1.600
LM501349/LM501310	41.275	73.431	19.558	19.812	14.732	3.5	0.8	56.0	69.5	0.335
LM501349/LM501314	41.275	73.431	21.430	19.812	16.604	3.5	0.8	56.0	69.5	0.355
HM518445/HM518410	88.900	152.400	39.688	39.688	30.162	6.4	3.3	253.0	365.0	2.838
593/592	88.900	152.400	39.688	36.322	33.338	3.5	3.3	180.0	279.0	2.830
593/592A	88.900	152.400	39.688	36.322	30.162	3.5	3.3	180.0	279.0	2.780
593/592XS	88.900	147.638	35.717	36.322	26.192	3.5	3.3	180.0	279.0	2.730
593A/592	88.900	152.400	39.688	36.322	33.338	6.4	3.3	180.0	279.0	2.810
593A/592A	88.900	152.400	39.688	36.322	30.162	6.4	3.3	180.0	279.0	2.760
593A/592XS	88.900	147.638	35.717	36.322	26.192	6.4	3.3	180.0	279.0	2.700
594/592	95.250	152.400	39.688	36.322	33.338	3.5	3.3	180.0	279.0	2.560
594/592A	95.250	152.400	39.688	36.322	30.162	3.5	3.3	180.0	279.0	2.510
594/592XS	95.250	147.638	35.717	36.322	26.192	3.5	3.3	180.0	279.0	2.040
594A/592	95.250	152.400	39.688	36.322	33.338	5.0	3.3	180.0	279.0	2.540
594A/592A	95.250	152.400	39.688	36.322	30.162	5.0	3.3	180.0	279.0	2.510
594A/592XS	95.250	147.638	35.717	36.322	26.192	5.0	3.3	180.0	279.0	2.090
595/592	82.550	152.400	39.688	36.322	33.338	3.5	3.3	180.0	279.0	3.080
595/592A	82.550	152.400	39.688	36.322	30.162	3.5	3.3	180.0	279.0	3.020
595/592XS	82.550	147.638	35.717	36.322	26.192	3.5	3.3	180.0	279.0	2.980
596/592	85.725	152.400	39.688	36.322	33.338	3.5	3.3	0.0	279.0	3.140
596/592A	85.725	152.400	39.688	36.322	30.162	3.5	3.3	180.0	279.0	2.900
596/592XS	85.725	147.638	35.717	36.322	26.192	3.5	3.3	180.0	279.0	2.850
598/592	92.075	152.400	39.688	36.322	33.338	3.5	3.3	180.0	279.0	2.940
598/592A	92.075	152.400	39.688	36.322	30.162	3.5	3.3	180.0	279.0	2.650
598/592XS	92.075	147.638	35.717	36.322	26.192	3.5	3.3	180.0	279.0	2.680
JL69349/JL69310	38.000	63.000	17.000	17.000	13.500	5.6	1.3	38.5	52.5	0.198
LM78349/LM78310A	34.988	61.973	16.700	17.000	13.600	3.5	1.5	37.0	48.0	0.209
HM803146/HM803110	41.275	88.900	30.162	29.370	23.020	3.5	3.3	93.5	125.0	0.989
HM803149/HM803110	44.450	88.900	30.162	29.370	23.020	3.5	3.3	93.5	125.0	0.849
HM807040/HM807010	44.450	104.775	36.512	36.512	28.575	3.5	3.3	138.0	189.0	1.620
HM807044/HM807010	49.212	104.775	36.512	36.512	28.575	3.5	3.3	138.0	189.0	1.520
HM807046/HM807010	50.800	104.775	36.512	36.512	28.575	3.5	3.3	138.0	189.0	1.490
HM807049/HM807010	53.975	104.775	36.512	36.512	28.575	3.5	3.3	138.0	189.0	1.410
JLM813049/JLM813010	70.000	110.000	26.000	25.000	20.500	1.0	2.5	97.0	150.0	0.889
M84548/M84510	25.400	57.150	19.431	19.431	14.732	1.5	1.5	42.0	48.5	0.241
M88649/M86610	30.162	64.292	21.433	21.433	16.670	1.5	1.5	51.5	64.5	0.336
M88048/M88010	33.338	68.262	22.225	22.225	17.462	0.8	1.5	56.5	71.0	0.378
HM88649/HM88610	34.925	72.233	25.400	25.400	19.842	2.3	2.3	65.0	84.5	0.489
HM88649/HM88611	34.925	71.973	27.000	25.400	21.443	2.3	1.5	65.0	84.5	0.483
HM89443/HM89410	33.338	76.200	29.370	28.575	23.020	0.8	3.3	78.0	105.0	0.688
HM89443/HM89411	33.338	76.200	29.370	28.575	23.020	0.8	0.8	78.0	105.0	0.696
HM89446/HM89410	34.925	76.200	29.370	28.575	23.020	3.5	3.3	78.0	105.0	0.646
HM89446/HM89411	34.925	76.200	29.370	28.575	23.020	3.5	0.8	78.0	105.0	0.655
HM89448/HM89410	36.512	76.200	29.370	28.575	23.020	0.8	3.3	78.0	105.0	0.629
HM89448/HM89411	36.512	76.200	29.370	28.575	23.020	0.8	0.8	78.0	105.0	0.664
HM89449/HM89410	36.512	76.200	29.370	28.575	23.020	3.5	3.3	78.0	105.0	0.626
HM89449/HM89411	36.512	76.200	29.370	28.575	23.020	3.5	0.8	78.0	105.0	0.631



ITEM NO.	OLD ITEM NO.	Dimensions (mm)					R (min)	R1 (ui)	Dynamic Cr (KN)	Static Cor (KN)	Weight (Kg)
		d	D	T	B	C					
30204	7204E	20	47	15.25	14	12.0	1.0	1.0	28.2	30.6	0.126
30205	7205E	25	52	16.25	15	13.0	1.0	1.0	32.2	37.0	0.154
30206	7206E	30	62	17.25	16	14.0	1.0	1.0	43.3	50.5	0.231
30207	7207E	35	72	18.25	17	15.0	1.5	1.5	54.2	63.5	0.331
30208	7208E	40	80	19.75	18	16.0	1.5	1.5	63.0	74.0	0.422
30209	7209E	45	85	20.75	19	16.0	1.5	1.5	67.9	83.6	0.474
30210	7210E	50	90	21.75	20	17.0	1.5	1.5	73.3	92.1	0.529
30211	7211E	55	100	22.75	21	18.0	2.0	1.5	90.8	113.7	9.713
30212	7212E	60	110	23.75	22	19.0	2.0	1.5	103.3	130.0	0.904
30213	7213E	65	120	24.75	23	20.0	2.0	1.5	120.6	152.6	1.130
30214	7214E	70	125	26.25	24	21.0	2.0	1.5	132.3	173.6	1.260
30215	7215E	75	130	27.25	25	22.0	2.0	1.5	138.4	185.4	1.360
30216	7216E	80	140	28.25	26	22.0	2.5	2.0	160.4	212.8	1.670
30217	7217E	85	150	30.50	28	24.0	2.5	2.0	177.6	236.8	2.060
30218	7218E	90	160	32.50	30	26.0	2.5	2.0	200.1	269.6	2.540
30219	7219E	95	170	34.50	32	27.0	3.0	2.5	226.6	309.0	3.040
30220	7220E	100	180	37.00	34	29.0	3.0	2.5	253.9	350.3	3.720
30304	7304E	20	52	16.25	15	13.0	1.5	1.5	33.1	33.2	0.165
30305	7305E	25	62	18.25	17	15.0	1.5	1.5	46.9	48.1	0.263
30306	7306E	30	72	20.75	19	16.0	1.5	1.5	59.0	63.1	0.387
30307	7307E	35	80	22.75	21	18.0	2.0	1.5	75.3	82.6	0.515
30308	7308E	40	90	25.25	23	20.0	2.0	1.5	90.9	107.6	0.747
30309	7309E	45	100	27.25	25	22.0	2.0	1.5	108.9	129.8	0.984
30310	7310E	50	110	29.25	27	23.0	2.5	2.0	130.1	157.1	1.280
30311	7311E	55	120	31.50	29	25.0	2.5	2.0	153.3	187.6	1.630
30312	7312E	60	130	33.50	31	26.0	3.0	2.5	171.4	210.0	1.990
30313	7313E	65	140	36.00	33	28.0	3.0	2.5	195.9	241.7	2.440
30314	7314E	70	150	38.00	35	30.0	3.0	2.5	219.0	271.7	2.980
30315	7315E	75	160	40.00	37	31.0	3.0	2.5	252.8	318.8	3.570
30316	7316E	80	170	42.50	39	33.0	3.0	2.5	278.8	352.5	4.270
30317	7317E	85	180	44.50	41	34.0	4.0	3.0	304.9	388.2	4.950
30318	7318E	90	190	46.50	43	36.0	4.0	3.0	342.1	440.9	5.800
32205	7505E	25	52	19.25	18	15.0	1.0	1.0	36.7	46.3	0.174
32206	7506E	30	62	21.25	20	17.0	1.0	1.0	51.8	63.7	0.287
32207	7507E	35	72	24.25	23	19.0	1.5	1.5	70.6	89.5	0.445
32208	7508E	40	80	24.75	23	19.0	1.5	1.5	77.9	97.2	0.532
32209	7509E	45	85	24.75	23	19.0	1.5	1.5	80.7	104.0	0.573
32210	7510E	50	90	24.75	23	19.0	1.5	1.5	82.8	107.6	0.626
32211	7511E	55	100	26.75	25	21.0	2.0	1.5	108.0	142.3	0.853
32212	7512E	60	110	29.75	28	24.0	2.0	1.5	132.8	179.6	1.170
32213	7513E	65	120	32.75	31	27.0	2.0	1.5	160.9	221.7	1.550
32214	7514E	70	125	33.25	31	27.0	2.0	1.5	168.5	237.1	1.640
32215	7515E	75	130	33.25	31	27.0	2.0	1.5	170.3	242.1	1.740
32216	7516E	80	140	35.25	33	28.0	2.5	2.0	198.1	279.0	2.130
32217	7517E	85	150	38.50	36	30.0	2.5	2.0	226.7	324.0	2.680
32218	7518E	90	160	42.50	40	34.0	2.5	2.0	269.8	395.5	3.440
32219	7519E	95	170	45.50	43	37.0	3.0	2.5	302.5	448.4	4.240
32220	7520E	100	180	49.00	46	39.0	3.0	2.5	341.0	512.0	5.100
32221	7521E	105	190	53.00	50	43.0	3.0	2.5	381.0	579.2	6.260
32222	7522E	110	200	56.00	53	46.0	3.0	2.5	431.67	666.3	7.430
32306	7606E	30	72	28.75	27	23.0	1.5	1.5	81.6	96.4	0.562
32307	7607E	35	80	32.75	31	25.0	2.0	1.5	99.0	118.3	0.763

32308	7608E	40	90	35.25	33	27.0	2.0	1.5	115.7	147.8	1.040
32309	7609E	45	100	38.25	36	30.0	2.0	1.5	145.3	189.4	1.400
32310	7610E	50	110	42.25	40	33.0	2.5	2.0	177.5	236.1	1.890
32311	7611E	55	120	45.50	43	35.0	2.5	2.0	203.0	271.4	2.370
32312	7612E	60	130	48.50	46	37.0	3.0	2.5	226.7	303.0	2.900
32313	7613E	65	140	51.00	48	39.0	3.0	2.5	259.6	349.8	3.510
32314	7614E	70	150	54.00	52	42.0	3.0	2.5	298.9	408.5	4.340
32315	7615E	75	160	58.00	55	45.0	3.0	2.5	347.4	483.1	5.370
32316	7616E	80	170	61.50	58	48.0	3.0	2.5	387.9	543.1	6.380
31306	27306E	30	72	20.75	19	14.0	1.5	1.5	52.5	60.4	0.392
31307	27307E	35	80	22.75	21	15.0	2.0	1.5	65.7	76.8	0.514
31308	27308E	40	90	25.25	23	17.0	2.0	1.5	81.4	96.4	0.727
31309	27309E	45	100	27.25	25	18.0	2.0	1.5	95.6	113.8	0.944
31310	27310E	50	110	29.25	27	19.0	2.5	2.0	108.0	128.5	1.210
31311	27311E	55	120	31.50	29	21.0	2.5	2.0	129.9	158.0	1.560
31312	27312E	60	130	33.50	31	22.0	3.0	2.5	145.4	176.8	1.900
31313	27313E	65	140	36.00	33	23.0	3.0	2.5	165.7	202.6	2.370
31314	27314E	70	150	38.00	35	25.0	3.0	2.5	186.9	231.0	2.860
31315	27315E	75	160	40.00	37	26.0	3.0	2.5	208.5	258.9	3.380
32006X	2007106	30	55	17.00	17	13.0	1.0	1.0	35.7	46.8	0.170
32007X	2007107	35	62	18.00	18	14.0	1.0	1.0	43.2	59.2	0.224
32008X	2007108	40	68	19.00	19	14.5	1.0	1.0	51.9	71.1	0.267
32009X	2007109	45	75	20.00	20	15.5	1.0	1.0	58.4	81.4	0.337
32010X	2007110	50	80	20.00	20	15.5	1.0	1.0	61.1	89.0	0.366
32011X	2007111	55	90	23.00	23	17.5	1.5	1.5	80.2	117.2	0.551
32013X	2007113	65	100	23.00	23	17.5	1.5	1.5	82.8	127.3	0.620
32014X	2007114	70	110	25.00	25	19.0	1.5	1.5	104.3	160.1	0.839
32015X	2007115	75	115	25.00	25	19.0	1.5	1.5	103.1	160.2	0.875
32016x	2007116	80	125	29.00	29	22.0	1.5	1.5	141.0	220.0	1.270
32017X	2007117	85	130	29.00	29	22.0	1.5	1.5	139.8	220.3	1.320
32018X	2007118	90	140	32.00	32	24.0	2.0	1.5	171.3	271.0	1.720
32019X	2007119	95	145	32.00	32	24.0	2.0	1.5	174.6	281.3	1.790
32020X	2007120	100	150	32.00	32	24.0	2.0	1.5	173.1	281.7	1.850
32021X	2007121	105	160	35.00	35	26.0	2.5	2.0	205.4	335.8	2.400
32022X	2007122	110	170	38.00	38	29.0	2.5	2.0	245.7	403.4	3.020
32024X	2007124	120	180	38.00	38	29.0	2.5	2.0	242.1	404.4	3.180
33005	3007105	25	47	17.00	17	14.0	0.6	0.6	32.5	42.5	0.129
33006	3007106	30	55	20.00	20	16.0	1.0	1.0	43.7	58.8	0.201
33007	3007107	35	62	21.00	21	17.0	1.0	1.0	46.9	63.3	0.254
33008	3007108	40	68	22.00	22	18.0	1.0	1.0	60.2	79.6	0.306
33009	3007109	45	75	24.00	24	19.0	1.0	1.0	72.6	100.4	0.398
33010	3007110	50	80	24.00	24	19.0	1.0	1.0	76.8	110.9	0.433
33011	3007111	55	90	27.00	27	21.0	1.5	1.5	94.9	144.7	0.651
33012	3007112	60	95	27.00	27	21.0	1.5	1.5	96.7	151.1	0.691
33013	3007113	65	100	27.00	27	21.0	1.5	1.5	98.1	157.7	0.732
33014	3007114	70	110	31.00	31	25.5	1.5	1.5	134.4	220.4	1.070
33015	3007115	75	115	31.00	31	25.5	1.5	1.5	133.1	221.2	1.120
33108	3007708	40	75	26.00	26	20.5	1.5	1.5	84.7	110.3	0.496
33109	3007709	45	80	26.00	26	20.5	1.5	1.5	87.1	117.2	0.535
33110	3007710	50	85	26.00	26	20.0	1.5	1.5	89.3	124.1	0.572
33111	3007711	55	95	30.00	30	23.0	1.5	1.5	114.5	164.8	0.843
33112	3007712	60	100	30.00	30	23.0	1.5	1.5	117.1	173.2	0.895
33113	3007713	65	110	34.00	34	26.5	1.5	1.5	142.8	220.4	1.300
33114	3007714	70	120	37.00	37	29.0	2.0	1.5	172.1	267.0	1.700
33115	3007715	75	125	37.00	37	29.0	2.0	1.5	176.1	279.6	1.780
33116	3007716	80	130	37.00	37	29.0	2.0	1.5	179.6	292.3	1.870
33117	3007717	85	140	41.00	41	32.0	2.5	2.0	215.7	354.2	2.430
33118	3007718	90	150	45.00	45	35.0	2.5	2.0	252.1	414.7	3.130